

# GRANULAR BAITs

## Residential Use

Updated: 1/22/2025

Hawai'i Ant Lab  
www.littlefireants.com



**Amdro Fire Ant Killer for Mounds**  
*product label*



**Antixx Fire Ant Bait**  
*product label*



**Maxforce Complete**  
*product label*



**Siesta Fire Ant Bait**  
*product label*

<b>Active Ingredient</b>	Hydramethylnon .73%	Spinosad .015%	Hydramethylnon 1.00%	Metaflumizone .063%
<b>Type of Pesticide</b>	Toxicant	Toxicant	Toxicant	Toxicant
<b>Product Size(s)</b>	6 oz., 1 lb., 2 lbs.	2 lbs.	8 oz. & 4 lbs.	15 lbs.
<b>Application Rate</b>	1 to 2 lbs. per acre	2.5 to 5 lbs. per acre	1.5 lbs. per acre	1 to 1.5 lbs. per acre
<b>Max. # of applications per year</b>	4	none	none	4
<b>Mandatory Personal Protection Equipment (PPE)</b>	None listed	Long-sleeved shirt, long pants, waterproof gloves, and shoes plus socks	Shoes plus socks	Long-sleeved shirt, long pants, waterproof gloves, and shoes plus socks
<b>For use on edible plants?</b>	no	<b>Only on edible plants listed on label</b>	no	<b>Only on pome, stone, citrus, and nut trees in nurseries and outdoor areas other than orchards</b>
<b>For use on grazed pastures?</b>	May be applied to pastures if used ONLY for companion animals (horses, llamas, etc.). Companion animals grazed on treated areas cannot be used for food or feed.	<b>yes</b>	no	For use in outdoors areas where companion animals (such as horses and llamas) are kept; these companion animals CANNOT be used for food or feed
<b>For use in commercial nurseries?</b>	no	no	no	<b>yes</b>
<b>For use indoors?</b>	no	no	<b>yes</b>	no
<b>Environmental Hazards</b>	This product is toxic to fish. Do not apply directly to water.	This product is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark.	This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.	This pesticide is toxic to fish and aquatic invertebrates. DO NOT apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark.

The information presented on this chart may contain errors or omissions and is presented here in good faith. This summary is not a substitute for reading the complete product label. Hawai'i Ant Lab does not endorse or promote the products listed here.

# GRANULAR BAITS

## Residential Use

Hawai'i Ant Lab  
www.littlefireants.com



**Amdro**  
**Fire Ant Killer for Mounds**  
*product label*



**Antixx**  
**Fire Ant Bait**  
*product label*

### For Outdoor Use on

"Amdro® Fire Ant Killer for Mounds is for use ONLY on lawns, landscaped areas, and other noncropland areas, as well as on grounds surrounding poultry houses (excluding runs and ranges) or corrals and other animal holding areas. Amdro® Fire Ant Killer for Mounds may be applied to pastures and rangeland if used ONLY for COMPANION ANIMALS (horses, llamas, etc.). Companion animals grazed on treated areas cannot be used for food or feed. Do not graze or feed treated lawn or sod clippings to livestock. Avoid direct exposure of animals to Amdro® Fire Ant Killer for Mounds granules."

"This product may be applied in home greenhouses, lawns and other turf grass areas, non-crop areas such as roadsides, rights of way, industrial areas, campgrounds, parks, recreational areas, and rough turf grass areas, farmsteads, corrals and around animal housing facilities, recreation areas including golf courses, parks, playgrounds and playing fields, and home gardens."

### For Indoor Use On

Not for indoor use.

Not for indoor use.

### Not For Use On

"This product is not for use on vegetable or other food crops, timber or plants grown for sale or other commercial use, or for commercial seed production, or for research purposes."

"Do not apply to hardscapes. Do not allow livestock or domestic animals to consume the bait. This product may not be used in agricultural production covered by the Worker Protection Standard."

# GRANULAR BAITS

## Residential Use

Hawai'i Ant Lab  
www.littlefireants.com



**Maxforce  
Complete**  
*product label*



**Siesta**  
*product label*

### For Outdoor Use on

“MAXFORCE® COMPLETE BRAND GRANULAR INSECT BAIT is a ready-to-use product for use indoors and outdoors and around buildings, on lawns, and other non-crop areas\* such as residential areas, the non-food/non-feed areas of institutional and commercial establishments including warehouses, restaurants, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, apartment buildings, schools, laboratories, computer facilities, pet shops, zoos, sewers, highway rights-of-way and medians, traffic islands, utility rights-of-way (including power lines, pipelines, aqueducts) managed turf areas (non-crop) (including school yards, playgrounds, athletic fields, amusement parks, picnic areas, recreation areas, office parks, industrial grounds, airports, shopping centers, public parks, arboretums, public gardens, monument sites, cemeteries and mausoleums, golf courses, race tracks, fairgrounds, outdoor amphitheaters, sod farms, and ornamental nurseries). Do not graze or feed lawn or sod clippings to livestock.”

“Siesta® Insecticide Fire Ant Bait can be applied:

- In nurseries in and around container or field-grown fruit and nut tree stock;
- In nurseries in and around container or field-grown ornamental and nursery stock;
- On lawns, turf, landscaped areas, golf courses, sod farms, industrial/municipal sites, other non-crop/non-grazed areas, such as airports, roadsides, cemeteries, commercial grounds, parks, school grounds, picnic grounds, athletic fields and other recreational areas;
- On grounds surrounding poultry houses (excluding runs and ranges) or corrals and other animal holding areas;
- Outdoor areas around residences and residential areas, commercial and other structures, warehouses, hotels, motels, supermarkets, hospitals, and nursing homes;
- Outdoor areas (other than orchards) described above which include bearing and/or nonbearing pome, stone, citrus, and nut trees.

Siesta may also be applied to nonbearing fruit and nut trees, vines, brambles and bushberries grown in commercial ornamental nurseries. Nonbearing trees, vines, brambles and bushberries are grown in ornamental production nurseries where immature and/or inedible fruit of nuts or berries may appear on the tree, vine, bramble and bush but are not intended for harvest or consumption.”

### For Indoor Use On

“VOID CONTAMINATION OF FOOD, FOOD CONTACT SURFACES AND FEEDSTUFFS. NOTE: Indoor applications are limited to areas that are inaccessible to children or pets, such as cracks, crevices, wall voids, unfinished attics, crawl spaces, refillable tamper-resistant bait stations, and behind electrical switch plates, within residential and non-residential buildings or structures and within non-food/non-feed areas of industrial, institutional, and commercial buildings. Non-food/non-feed areas include bedrooms, living rooms, bathrooms, closets, media rooms, garbage rooms, lavatories, entries, vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling).”

Not for indoor use.

### Not For Use On

“The use of this product on pasture and rangeland is unlawful. Do not graze or feed lawn or sod clippings to livestock. DO NOT USE ON EDIBLE FOOD CROPS OR ON AREAS INTENDED FOR EDIBLE FOOD CROP PRODUCTION.”

“DO NOT graze or feed lawn or sod clippings to livestock.”  
  
“DO NOT apply to the soil around fruit and nut trees more than 4 times a year.”