

GRANULAR BAIT

Residential Use

Hawai'i Ant Lab
www.littlefireants.com



Amdro
Fire Ant Bait
product label



Antixx
Fire Ant Bait
product label



ProBait
product label



Maxforce
Complete
product label



Siesta
product label

Active Ingredient	Hydramethylnon .73%	Spinosad .015%	Hydramethylnon .73%	Hydramethylnon 1.00%	Metaflumizone .063%
Type of Pesticide	Toxicant	Toxicant	Toxicant	Toxicant	Toxicant
Product Size(s)	1 lb.	2 lbs.	4.5 lbs.	8 oz. & 4 lbs.	15 lbs.
Application Rate	1 to 2 lbs. per acre	2.5 to 5 lbs. per acre	1 to 2 lbs. per acre	1.5 lbs. per acre	1 to 1.5 lbs. per acre
Max. # of applications per year	none	none	none	none	4
Mandatory Personal Protection Equipment (PPE)	None listed	Long-sleeved shirt, long pants, waterproof gloves, and shoes plus socks	Long-sleeve shirt, long pants, socks, and shoes	Shoes plus socks	Long-sleeved shirt, long pants, waterproof gloves, and shoes plus socks
For use on edible plants?	no	Only on edible plants listed on label	no	no	Only on pome, stone, citrus, and nut trees in nurseries and outdoor areas other than orchards
For use on grazed pastures?	no	yes	no	no	no
For use in commercial nurseries?	no	no	no	yes	yes
For use indoors?	no	no	no	yes	no
Environmental Hazards	This product is toxic to fish. Do not apply directly to water.	This product is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark.	This product is toxic to fish. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark.	This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.	This pesticide is toxic to fish and aquatic invertebrates. DO NOT apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark.

The information presented on this chart may contain errors or omissions and is presented here in good faith. This summary is not a substitute for reading the complete product label. Hawai'i Ant Lab does not endorse or promote the products listed here.

GRANULAR BAIT

Residential Use

Hawai'i Ant Lab
www.littlefireants.com



Amdro
Fire Ant Bait
product label



Antixx
Fire Ant Bait
product label



ProBait
product label

For Outdoor Use on

“AMDRO® Fire Ant Bait is for use ONLY on lawns, landscaped areas, golf courses, commercial grounds, parks and other noncropland areas, as well as on grounds surrounding poultry houses (excluding runs and ranges) or corrals and other animal holding areas. Do not graze or feed treated lawn or sod clippings to livestock. Avoid direct exposure of animals to AMDRO® granules.”

“This product may be applied in home greenhouses, lawns and other turf grass areas, non-crop areas such as roadsides, rights of way, industrial areas, campgrounds, parks, recreational areas, and rough turf grass areas, farmsteads, corrals and around animal housing facilities, recreation areas including golf courses, parks, playgrounds and playing fields, and home gardens.”

“This product is for use on lawns, landscaped areas, golf courses, commercial grounds, parks, and other non-cropland areas such as airports, roadsides, cemeteries, commercial grounds, parks, school grounds, picnic grounds, athletic fields and other recreational areas, and as well, on grounds surrounding poultry houses (excluding runs and ranges) or corrals and other animal holding areas. Avoid direct exposure of animals to ProBait granules.”

For Indoor Use On

Not for indoor use.

Not for indoor use.

Not for indoor use.

Not For Use On

“This product is not for use on vegetable or other food crops, timber or plants grown for sale or other commercial use, or for commercial seed production, or for research purposes.”

“Do not apply to hardscapes. Do not allow livestock or domestic animals to consume the bait. This product may not be used in agricultural production covered by the Worker Protection Standard.”

“This product is not for use on vegetable or other food crops, timber or plants grown for sale or other commercial use, or for commercial seed production, or for research purpose. Do not graze or feed treated lawn or sod clippings to livestock. Avoid direct exposure of animals to ProBait® granules.”

GRANULAR BAIT

Residential Use

Hawai'i Ant Lab
www.littlefireants.com



Maxforce Complete
product label



Siesta
product label

For Outdoor Use on

“MAXFORCE® COMPLETE BRAND GRANULAR INSECT BAIT is a ready-to-use product for use indoors and outdoors and around buildings, on lawns, and other non-crop areas* such as residential areas, the non-food/non-feed areas of institutional and commercial establishments including warehouses, restaurants, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, apartment buildings, schools, laboratories, computer facilities, pet shops, zoos, sewers, highway rights-of-way and medians, traffic islands, utility rights-of-way (including power lines, pipelines, aqueducts) managed turf areas (non-crop) (including school yards, playgrounds, athletic fields, amusement parks, picnic areas, recreation areas, office parks, industrial grounds, airports, shopping centers, public parks, arboretums, public gardens, monument sites, cemeteries and mausoleums, golf courses, race tracks, fairgrounds, outdoor amphitheaters, sod farms, and ornamental nurseries). Do not graze or feed lawn or sod clippings to livestock.”

“Siesta® Insecticide Fire Ant Bait can be applied:

- In nurseries in and around container or field-grown fruit and nut tree stock;
 - In nurseries in and around container or field-grown ornamental and nursery stock;
 - On lawns, turf, landscaped areas, golf courses, sod farms, industrial/municipal sites, other non-crop/non-grazed areas, such as airports, roadsides, cemeteries, commercial grounds, parks, school grounds, picnic grounds, athletic fields and other recreational areas;
 - On grounds surrounding poultry houses (excluding runs and ranges) or corrals and other animal holding areas;
 - Outdoor areas around residences and residential areas, commercial and other structures, warehouses, hotels, motels, supermarkets, hospitals, and nursing homes;
 - Outdoor areas (other than orchards) described above which include bearing and/ or nonbearing pome, stone, citrus, and nut trees.
- Siesta may also be applied to nonbearing fruit and nut trees, vibes, brambles and bushberries grown in commercial ornamental nurseries. Nonbearing trees, vines, brambles and bushberries are grown in ornamental production nurseries where immature and/or inedible fruit of nuts or berries may appear on the tree, vine, bramble and bush but are not intended for harvest or consumption.”

For Indoor Use On

“VOID CONTAMINATION OF FOOD, FOOD CONTACT SURFACES AND FEEDSTUFFS. NOTE: Indoor applications are limited to areas that are inaccessible to children or pets, such as cracks, crevices, wall voids, unfinished attics, crawl spaces, refillable tamper-resistant bait stations, and behind electrical switch plates, within residential and non-residential buildings or structures and within non-food/non-feed areas of industrial, institutional, and commercial buildings. Non-food/non-feed areas include bedrooms, living rooms, bathrooms, closets, media rooms, garbage rooms, lavatories, entries, vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling).”

Not for indoor use.

Not For Use On

“The use of this product on pasture and rangeland is unlawful. Do not graze or feed lawn or sod clippings to livestock. DO NOT USE ON EDIBLE FOOD CROPS OR ON AREAS INTENDED FOR EDIBLE FOOD CROP PRODUCTION.”

“DO NOT graze or feed lawn or sod clippings to livestock.”

“DO NOT apply to the soil around fruit and nut trees more than 4 times a year.”